

Fig. 1

Replacement Sheet
U.S. Serial No. 09/471,429
2/8

The diagram shows a form with several sections, each with a label and a corresponding input area. The sections are as follows:

- Number (e.g. DSNZ999I - all caps):** This section is labeled 62. It contains a text box with the value "DSNZ999I" and a small icon in the top right corner. This entire section is also labeled 60.
- Origination (e.g. Wallar, 03/16/1999, DCR DG999):** This section is labeled 64. It contains a text box with the value "Wallar, 08/30/1999" and a small icon in the top right corner. This section is also labeled 66.
- Message Text (Not used for Codes):** This section is labeled 68. It contains a text box with the text: "Here is some sample text. In the Message and Codes book for DB2, this text would give a Textual Representation of what the above number indicates. ... (i.e., The system is not able to process your information)".
- Explanation:** This section is labeled 70. It contains a text box with the text: "Here is where the explanation of the Message Text would be displayed.....(i.e., You did not enter the proper key word and the system halted)".
- Severity(0-8): (e.g. 4 (warning))** This section is labeled 72. It contains a text box with the text: "This is where the Severity Code would go..... (i.e.,".
- System Action:** This section is labeled 74. It contains a text box with the text: "This is where the action that the system completes would go.....(i.e. System restarts)".
- Operator Response:** This section is labeled 76. It contains a text box with the text: "Not all the fields have to be filled in. The application can determine when to add tagging and when a field should be omitted."
- Programmer Response:** This section is labeled 78. It contains an empty text box.

Fig. 2

Replacement Sheet
U.S. Serial No. 09/471,429
3/8

Other Messages

Select Output Type: SGML

Create: Click on the following button to create the completed message in the box below. This will collect and merge all the information you have entered in fields above. If you need help with some additional tags or display formatting, use SGML Help.

Create Complete Message

```
<msg>
<!-- Message Creator Generated, Wallar, 08/30/1999-->
<msgnum>DSNZ999I<?BKM: :subject.DSNZ999I></msgnum>
<msgtext>Here is some sample text. In the Messages and
Codes book for DB2, this text would give a Textual
Representation of what the above number indicates.
.. (i.e., The system is not able to process your information)
</msgtext>
<msgitem class="explanation">
<p>Here is where the explanation of the Message Text would
be displayed....(i.e., You did not enter the proper key
word and the system halted)</p>
</msgitem>
<msgitem class="severity">
<p>This is where the Severity Code would go...(i.e., 4
(warning) )</p>
</msgitem>
<msgitem class="sysact">
<p>This is where the action that the system completes would
go...(i.e. System restarts)</p>
</msgitem>
<msgitem class="oresp">
<p>Not all the fields have to be filled in. The
application can determine when to add tagging and when a
field should be omitted</p>
```

Fig. 3

Replacement Sheet
U.S. Serial No. 09/471,429
4/8

Select Output Type:

Create: Click on the following button to create the completed message in the box below. This will collect and merge all the information you have entered in fields above. If you need help with some additional tags or display formatting, use SGML Help.

Create Complete Message

86

*Wallar, 08/30/1999
:msgnum>DSNZ999I
:msg. Here is some sample text. In the Messages and Codes
book for DB2, this text would give a Textual Representation
of what the above number indicates... (i.e., The system is
not able to process your information)
:xpl. Here is where the explanation of the Message Text
would be displayed....(i.e., You did not enter the proper
key word and the system halted)
:severity. This is where the Severity Code would go...(i.e.,
4 (warning))
:sysact. This is where the action that the system completes
would go...(i.e. System restarts)
:oresp. Not all the fields have to be filled in. The
application can determine when to add tagging and when a
field should be omitted

82

Fig. 4

Replacement Sheet
U.S. Serial No. 09/471,429
5/8

Select Output Type:

Create: Click on the following button to create the completed message in the box below. This will collect and merge all the information you have entered in fields above. If you need help with some additional tags or display formatting, use SGML Help.

86

DSNZ999I Here is some sample text. In the Messages and Codes book for DB2, this text would give a Textual Representation of what the above number indicates... (i.e., The system is not able to process your information)

Explanation: Here is where the explanation of the Message Text would be displayed....(i.e., You did not enter the proper key word and the system halted)

Severity: This is where the Severity Code would go...(i.e., 4 (warning))

System Action: This is where the action that the system completes would go...(i.e. System restarts)

Operator Response: Not all the fields have to be filled in. The application can determine when to add tagging and when a field should be omitted

82

Fig. 5




Fig. 6

Replacement Sheet
U.S. Serial No. 09/471,429
7/8

If you need to enter elements such as lists and paragraphs, use this tag generator to create them or display their format. You can then copy them into the appropriate message section above.

Select Output Type:

SGML

Select text element:

Definition list (dl)

For lists, how many items in list?

For output examples of the elements, [click here](#).

Create Output

```
<dl>
<dlentry>
<term>
***term1
</term>
<defn>
***definition1
</defn>
</dlentry>

<dlentry>
<term>
***term2
</term>
<defn>
***definition2
</defn>
</dlentry>
```

Fig. 7




Fig. 8